

Concept 🚫 Pro

5MP 4mm Fixed Lens 30M IR 4 in 1 Analogue

AIR3525EL-AHD5M/4

Concept Pro 5MP AHD Enhanced Low Light Fixed External Small Bullet Camera (4mm)

The AIR3525EL-AHD5M/4 model is a 4-in-1 analogue camera that has been designed to deliver the highest image quality for demanding external environments. This weather-resistant external small bullet features a 4mm fixed lens, smart infrared LEDs with 30m illumination range, and provides crisp 5-megapixel video with true wide dynamic range and enhanced low light performance. This camera is also designed for excellent compatibility with the Concept Pro range of hybrid digital video recorders.



True Wide Dynamic Range

With true wide dynamic range, this camera can capture sharp images throughout the entire field of view, even when there are severe differences between light levels.



Enhanced Low Light Performance

This CCTV camera utilises an Enhanced Low Light CMOS sensor with greater light sensitivity, resulting in the camera capturing colour images long after standard CCTV cameras have switched to black and white night mode.



Four-in-one solution

Don't be tied down to any single analogue platform. With Concept Pro 4-in-1 cameras you have the freedom to install whichever CCTV platform you like, whether you install AHD, TVI, CVI, or traditional analogue systems.

ANALOGUE HD TYPICAL CABLE DISTANCE

			_
Camera			
	5MP	2MP	720P
COAX (RG59)	UP TO 500M	UP TO 500M	UP TO 500M
CAT5e	UP TO 200M	UP TO 305M	UP TO 350M
CAT6	UP TO 200M	UP TO 305M	UP TO 350M

*Approximate distances calculated using HD MasterBaluns. Actual transmission range will vary depending on type and quality of cable and baluns.

KEY FEATURES

- Max. 20FPS @ 5MP
- 4mm Fixed Lens
- Up to 30m Smart IR Illumination
- 4-in-1 Operation (AHD/TVI/CVI/CVBS)
- Enhanced Low Light Performance
- True Wide Dynamic Range

OTHER FEATURES

- DC12V Power Input
- Up the Coax Coaxitron Support
- AGC, 3D-DNR, BLC
- IP66-rated



AIR3525EL-AHD5M/4

Concept Pro 5MP AHD Enhanced Low Light Fixed External Small Bullet Camera (4mm)


SPECIFICATION


Model/Fe	ature	AIR3525EL-AHD5M/4
	Image Sensor	1/2.8" Progressive Scan CMOS
	Video Output Type	AHD/TVI/CVI/CVBS
	Signal System	PAL/NTSC
	Min. Illumination	Colour: 0.02 lux (Enhanced Low Light) B&W: 0.02 lux (Enhanced Low Light) 0 lux with IR on
0	Electronic Shutter	Auto
Camera	S/N Ratio	≥50dB
Lens	IR LEDs	x4
	IR Illumination Range	Max. 30m
	IR Control	On/Off
	Adaptable IR	Auto
	Pivot Axis	Pan: 0-360°, Tilt: 0-75°, Rotation: 0-360°
	Lens Type	Fixed
	Mount Type	Built-in
	Focal Length	f=4mm
		F2.0
	Aperture	H:71°, V:58°,D:84°
	Angle of View Focus	
		Fixed
	Iris	Fixed
	Resolution	5MP (2592x1944), 4MP (2560x1440), 2MP (1920 x 1080), SD (960 x 576
	Frame Rate	AHD/TVI: 12.5/20FPS @ 5MP, 15/25/30FPS @ 4MP, 25/30FPS @ 2MF CVI: 25/30FPS @ 4MP, 25/30FPS @ 2MP CVBS: 25/30FPS @ SD
	Day/Night	True Day & Night with ICR (Auto/Colour/B&W/EXT)
	Backlight Compensation	BLC/Global
	Wide Dynamic Range	True WDR
	White Balance	Pro/Gray World
Video	Gain Control	Auto
naco	Noise Reduction	3D-DNR (Auto/Manual)
	Motion Detection	-
	Defog	-
	Image Setting	Mirror
	Image Adjustment	Brightness, Sharpness, Contrast, Saturation
	Privacy Masking	-
	Sens-Up	-
	Transmission Distance	Max. 500m (1Vp-p 75Ω)
	Video Output	x1 1.0Vp-p 75Ω BNC (AHD/TVI/CVI/CVBS)
	Audio Interface	-
Interface	RS-485	
	Control Protocol	N/A
	Up the Coax (Coaxitron) Support	Yes
	OSD Buttons	Yes
	Power Supply	DC12V±10%
	Power Output	- Nev: CM/
	Power Consumption	Max. 6W
	Operating Temperature	-30°C to +50°C
	Operating Humidity	20-80% RH
	Ingress Protection	IP66
	Impact Resistance	-
	Housing Materials	Aluminum Diecasting
	RAL	RAL 7021 Black Grey
	Dimension	(Ø) 66mm × (L) 209mm without sunshield
	Net Weight	≈350g
	Gross Weight	≈550g
Certification	Certifications	CE


Concept 🚫 Pro

DIMENSIONS

All measurements are in mm.







ORDER CODE

+ AIR3525EL-AHD5M/4

Concept Pro 5MP AHD Enhanced Low Light Fixed External Small Bullet

AIR3525EL-AHD2M/2.8	Concept Pro Lite 2MP AHD Enhanced Low Light Fixed External Small Bullet Camera
AIR3525EL-AHD5M/2.8	Concept Pro 5MP AHD Enhanced Low Light Fixed External Small Bullet Camera
AIR3525EL-AHD2M/4	Concept Pro Lite 2MP AHD Enhanced Low Light Fixed External Small Bullet Camera (4mm)

Concept Pro Small Junction Box - Black Grey

Concept Pro Small Wall Mount - Black Grey

Concept Pro Small Pendant Mount - Black Grey

RECOMMENDED ACCESSORIES

+ CP-BASE-1-V2-G

. .


•

- CP-WM-1-V2-G
- CP-PM-1-V2-G CP-PLM-V2 + CP-CM-V2
- Concept Pro Pole Mount Concept Pro Corner Mount
- RG59 Coaxial Cable 100m (Black))
- RG59K-100 • RG59K-500 RG59 Coaxial Cable 500m (Black)
 - COMPATIBLE WITH CONCEPT PRO

AHD RECORDING RANGE

AIR3525EL-AHD5M/4

Concept Pro 5MP AHD Enhanced Low Light Fixed External Small Bullet Camera (4mm)



Concept Pro Pole Mount (can be combined with CP-BASE-1-V2)

CP-CM-V2

Concept Pro Corner Mount (can be combined with CP-BASE-1-V2)



