

Concept Pro


| | | | | | |
|------------|-----------------|--------------------------|--------------|------------------------------|---|
| 8MP | 16CH PoE | 4K Display Output | H.265 | Alarm & Audio I/O |  |
|------------|-----------------|--------------------------|--------------|------------------------------|---|



VUHDIP-32

Concept Pro 32 Channel 8MP NVR with PoE

The Concept Pro VUHDIP-32 model is a 32 channel professional NVR that can record up to 8 megapixel, 4K UHD network video on all channels. The VUHDIP range also supports the latest H.265 video compression codec for greater storage savings. The NVR offers a range of features suited for advanced applications, including remote monitoring station integration, P2P connectivity for remote viewing on mobile devices, and compatibility with the license-free iPIMS VMS.



Professional Remote Monitoring

Provides 24 hour remote monitoring for clients and is available on all Concept Pro recorders with Alarm Receiving Stations using Immix Cloud and Sentinel platforms.




Deep Learning Video Analytics

This product supports the latest Deep Learning video analytics technology when compatible Concept Pro IP cameras are connected. Easily configure Deep Learning Motion Detection and advanced video analytics rules from the recorder user interface and begin reducing false alarms by up to 95% with the power of Deep Learning.



Enhanced Security

This product supports a suite of security-related features, including pin unlock, security questions, email password reset, automatic password expiration, encryption, and more settings designed to ensure authorised users are accessing the device.



Dual LAN

The recorder creates a secondary LAN specifically for CCTV cameras to separate the CCTV equipment from the existing site network. This ensures the cameras remain secure from network threats or network problems that may exist on site as well as protecting the overall network from the camera data traffic.


KEY FEATURES

- ◆ 16 PoE IP Camera Inputs, Total 32 channels
- ◆ Secure P2P Connection
- ◆ 8MP Camera Video Recording (4K UHD)
- ◆ H.265 and H.264 Video Codec Support
- ◆ 4K HDMI and VGA Display Output
- ◆ Up to 24TB Internal Hard Disk
- ◆ Enhanced Password Security Rule
- ◆ Arm/Disarm Switch to Configure Alarm Notifications
- ◆ 8 Alarm Inputs
- ◆ Concept Pro Deep Learning video analytics inside all recorders
- ◆ WD Purple Surveillance HDD's
- ◆ Dual LAN with Configurable DHCP server

OTHER FEATURES

- ◆ 8CH Alarm Input/1CH Alarm Output
- ◆ Two Way Audio & Audio Recording
- ◆ Remote Monitoring via Concept Pro Viewer Mobile App
- ◆ Supported by iPIMS License-free VMS
- ◆ Thumbnail and Event Search
- ◆ Instant Playback
- ◆ Integrated Network Alarm Support
- ◆ Trigger Alarm Output Remotely
- ◆ Mouse and remote included

COMPATIBLE WITH



Concept Pro Camera Range

VUHDIP-32

Concept Pro 32 Channel 8MP NVR with PoE



SPECIFICATION

| VIDEO AND AUDIO INPUTS/OUTPUTS | |
|---------------------------------------|---|
| IP Video Inputs | x32 |
| Power over Ethernet (PoE) Inputs | x16 PoE 802.3af/PoE+ 802.3at |
| Supported Video Signal Types | PAL/NTSC |
| Supported Video Resolution/Frame Rate | Max. 25FPS @ 3840x2160 (8MP 4K UHD) per channel |
| Incoming Bandwidth | Max. 160Mbps |
| Max PoE Output per Channel | Max. 25W per channel, Total Max. 180W |
| Audio Inputs | x1 + IP Camera Audio Input x16 |
| Audio Outputs | x1 |
| Two-Way Audio | Yes |
| Audio Compression Codec | G.711u |
| RECORDING | |
| Video Compression Codec | H.265/H.264 (BP,MP,HP) |
| Recording Resolution | Max. 8MP (3840x2160) /5MP/4MP/3MP/2MP/1MP/D1/ClF |
| Recording Rate | Max. 400FPS @ 3840x2160 (8MP UHD) |
| Bit Rate | VBR/CBR, Stream 1: 1,000-4,000Kbps, Stream 2: 600-1,000Kbps |
| Recording Modes | Continuous, Intensive (Motion, Alarm, Panic) |
| Recording Scheduling Method | Hourly/Daily/Weekly |
| Pre-Event Recording | Yes, 0/1/2/3/4/5/10/15s |
| Post-Event Recording | Yes, 5/10/15/20/30/60/180s |
| Reserved Data/Bookmarking | Yes |
| SSC | Yes |
| DISPLAY | |
| Main Display Outputs | HDMI x1, VGA x1 |
| Main Display Resolution | 3840x2160/1920x1080/1280x1024/1280x720 |
| Main Display Resolution Configuration | Auto/Manual |
| Dual Monitor Functions | Main Display Mirroring |
| Display Rate | Max. 400FPS; 1CH: 25FPS @ 8MP, 4CH:25FPS@8MP, 9/16CH: 25FPS@2MP |
| Display Mode | 1CH/4CH/5/CH/6CH/9CH/16CH |
| Programmable Sequence | Supported, 1CH/4CH/5CH/6CH/9CH/16CH |
| Spot Monitor Output | BNC x1 |
| Spot Monitor View Type | 1CH/4CH Split Screen |
| PTZ Control | Network, RS-485 (Pan, Tilt, Zoom, Focus, Iris, Preset Sync) |
| Monitor PoE & Network Status | Yes |
| SEARCH & PLAYBACK | |
| Search Modes | Calendar (Date/Time HH:MM:SS), Timeline, Thumbnail, Deep Learning Event |
| Event Search Options | Instant Playback, Alarm, Motion, Video, Record, System, Storage, Network, Setup |
| Playback Display Mode | 1CH/4CH/5/CH/6CH/9CH/16CH |
| Simultaneous Playback | Max. 400FPS; 1CH: 25FPS @ 8MP, 4CH:25FPS@8MP, 9/16CH: 25FPS@2MP |
| Playback Speed | 1x, 2x, 4x, 8x, 16x, 32x, 64x |
| ARCHIVING | |
| Archiving Devices | USB, FTP |
| Remote Archiving | Web, iPIMS (PC), FTP |
| Archived Video Format | RAW/AVI |
| Backup Encryption | MD5, with Built-in Verification Watermark |
| Snapshot | Live, Playback (JPEG) |
| NETWORK | |
| Network Interface | 2x RJ-45 10M/100M/1000M Ethernet |
| POE Standard | PoE 802.3af/PoE 802.3at |
| Max. User Connections | 32 |
| Remote Web Access | Internet Explorer (Live 1CH/4CH/9CH/16CH), Search, Playback, PTZ, Setup), Chrome, Firefox (Live 1CH Second Stream, Setup) |
| Smart Phone Mobile App | Concept Pro Viewer (iOS/Android) |
| PC Software | iPIMS (PC) Version 2.2.10.28 onwards |
| Transmission Rate | Max. 800FPS |
| Adaptive Network Streaming | Yes |
| P2P Cloud Service | Yes (European Servers) |
| DDNS Service | Yes, DVRLINK Free Service |
| Support IPv4 / IPv6 | IPv4/IPv6 |
| Dual SMTP E-mail Server | Yes (with SSL support) |
| Remote Monitoring | Immix, Sentinel |
| Interoperability | ONVIF Profile S, HTTP/RTSP SDK |
| Network Protocols | WS-Discovery, RTP, RTSP, RTCP, SMTP, NTP, HTTP, FTP, DDNS, DHCP, uPNP (Router Port Forwarding), HTTPS, SSL |

| ALARM INTERFACE AND EVENT NOTIFICATION | |
|--|---|
| Alarm Inputs | x8 (NVR), x32 (IP Camera), Virtual Alarm (CGI) |
| Alarm Input Trigger Actions | Alarm Recording, Alarm Output, PTZ Preset, Event Notification, Video Pop-up |
| Alarm Outputs | x1 (NVR Relay), x 32 (IP Camera) |
| Motion Detection | Yes (supported IPC) |
| Motion Detection Trigger Actions | Motion Recording, Alarm Output, PTZ Preset, Event Notification |
| Event Notification | Buzzer, Video Pop-up, Video Pop-up, E-mail, FTP, Mobile Push |
| E-mail Notification | Yes, Snapshot Optional |
| E-mail Notification Schedule | Up to 10 Schedules |
| Alarm Arm/Disarm Function | Yes |
| System Detection | Video Loss, Disk, Record, System, & Network Event Detection |
| Deep Learning Video Analytics | Compatible with Concept Pro Deep Learning IP Camera models & Deep Learning Plus |
| STORAGE | |
| Internal Hard Disk | x2 Max.24TB |
| SMART Support | Yes, Manual/Automatic |
| RAID Configuration | No, please see VUHDIPe |
| Partial Data Deletion | Yes |
| External Storage Support | FTP/NAS (for backup) |
| SECURITY | |
| Enhanced Security Rules | Yes |
| Covert Camera | Yes, Configurable by User and Group Authority |
| Privacy Masking | Yes, Max. 4 Areas (supported IP cameras only) |
| User Groups | Max. 3 (Admin/Manager/User) |
| Number of Users | Max. 10 |
| Group Authority | Search, Archiving, System Setup, Record Setup, Event Action Control, Audio, Remote Access, Shutdown |
| Network Security Features | IP Filter, RTSP Encryption (SEED_128), HTTPS |
| System Security Features | Password Expiration, Auto Log-out, Search/Archiving Password Check, Audio Support Toggle, Snapshot Support Toggle |
| Encrypted System Settings File Import/Export | Yes |
| AUXILIARY INTERFACE | |
| USB | x2 |
| RS-485 | x1 |
| Supported RS-485 Protocols | Pelco-D, Pelco-P, D-max, etc. |
| RS-232 | - |
| Remote Control | Yes (Included) |
| Keyboard Controller | RS-485 |
| SYSTEM | |
| Language | English French Dutch German Spanish |
| Max UTP Transmission | 100m |
| Firmware Upgrade | USB, Network |
| GENERAL | |
| Operating System | Concept Pro UI |
| Power Supply | SMPS 51W/200W |
| BTU/h | Max. 37.53 BTU/h without HDD or cameras |
| Power Consumption | Max. 11W without HDD or Cameras |
| Fan | x1 |
| Dimensions | Unit: 380(W) x 314.6(D) x 44(H) mm, 1U |
| Rack Mountable | Yes |
| Net Weight | Unit : 2.52 kg |
| Gross Weight | 3.82 kg |
| Operating Conditions | 0°C to +40°C, 10 - 90% NC |
| Storage Conditions | 0°C to +50°C, 10 - 90% NC |
| CERTIFICATIONS | |
| Certifications | FCC, CE |

COMPATIBLE WITH




Concept Pro Camera Range

VUHDIP-32

Concept Pro 32 Channel 8MP NVR with PoE



DIMENSIONS



REAL PANEL



HDD OPTIONS & OTHER PRODUCTS IN THE RANGE

- **VUHDIP-4-3/1000** Concept Pro 4 Channel 8MP NVR 1TB
- **VUHDIP-4-3/2000** Concept Pro 4 Channel 8MP NVR 2TB
- **VUHDIP-4-3/3000** Concept Pro 4 Channel 8MP NVR 3TB
- **VUHDIP-4-3/4000** Concept Pro 4 Channel 8MP NVR 4TB
- **VUHDIP-4-3/6000** Concept Pro 4 Channel 8MP NVR 6TB
- **VUHDIP-4-3/8000** Concept Pro 4 Channel 8MP NVR 8TB
- **VUHDIP-4-3/10000** Concept Pro 4 Channel 8MP NVR 10TB

- **VUHDIP-8-3/1000** Concept Pro 8 Channel 8MP NVR 1TB
- **VUHDIP-8-3/2000** Concept Pro 8 Channel 8MP NVR 2TB
- **VUHDIP-8-3/3000** Concept Pro 8 Channel 8MP NVR 3TB
- **VUHDIP-8-3/4000** Concept Pro 8 Channel 8MP NVR 4TB
- **VUHDIP-8-3/6000** Concept Pro 8 Channel 8MP NVR 6TB
- **VUHDIP-8-3/8000** Concept Pro 8 Channel 8MP NVR 8TB
- **VUHDIP-8-3/10000** Concept Pro 8 Channel 8MP NVR 10TB
- **VUHDIP-8-3/12000** Concept Pro 8 Channel 8MP NVR 12TB
- **VUHDIP-8-3/16000** Concept Pro 8 Channel 8MP NVR 16TB
- **VUHDIP-8-3/20000** Concept Pro 8 Channel 8MP NVR 20TB

- **VUHDIP-16-3/1000** Concept Pro 16 Channel 8MP NVR 1TB
- **VUHDIP-16-3/2000** Concept Pro 16 Channel 8MP NVR 2TB
- **VUHDIP-16-3/3000** Concept Pro 16 Channel 8MP NVR 3TB
- **VUHDIP-16-3/4000** Concept Pro 16 Channel 8MP NVR 4TB
- **VUHDIP-16-3/6000** Concept Pro 16 Channel 8MP NVR 6TB
- **VUHDIP-16-3/8000** Concept Pro 16 Channel 8MP NVR 8TB
- **VUHDIP-16-3/10000** Concept Pro 16 Channel 8MP NVR 10TB
- **VUHDIP-16-3/12000** Concept Pro 16 Channel 8MP NVR 12TB
- **VUHDIP-16-3/16000** Concept Pro 16 Channel 8MP NVR 16TB
- **VUHDIP-16-3/20000** Concept Pro 16 Channel 8MP NVR 20TB

RECOMMENDED ACCESSORIES

- **CAT6-305** 305M CAT6 Solid Green
- **CAT6-305 DUCT GRADE** 305M CAT6 Duct Grade Black
- **VHD-IPEXTEND** Ethernet Extender (IP Extender)

COMPATIBLE WITH



Concept Pro
Camera Range