

Concept  Pro

# **THERMAL CAMERA SOLUTIONS**




**Unmatched performance,  
Unbeatable value.**

[www.concept-pro.co.uk](http://www.concept-pro.co.uk) - [info@concept-pro.co.uk](mailto:info@concept-pro.co.uk)

# PERIMETER PROTECTION



Perimeter Protection through powerful AI algorithms and thermal imaging



## Product Range



BS23 Series Bullet Camera

- Dual Vision Thermal & Visible Imaging
- 256x192 Resolution, scaled up to 704x576
- 2880x1620 Visible Resolution
- 3.5/7/10mm
- -20°C to +150°C Measurement Range
- Human & Vehicle Detection
- 3 Temperature Detection Types



BS28 Series Bullet Cameras

- Dual Vision Thermal & Visible Imaging
- 640x512 Resolution, scaled up to 1920x1080
- -20°C to +150°C Measurement Range
- 100m White Light Illumination
- Human & Vehicle Detection
- 3/15/25/35/50mm Lens
- 3 Temperature Detection Types



T33 Series Bullet Camera

- 384x288 Thermal Imaging
- 9/15/25/35/50mm Lens Options
- -20°C to +150°C Measurement Range
- ±8°C Measurement Accuracy
- Human Detection up to 50-500m
- Vehicle Detection up to 100-630m
- IP66-rated for Outdoor Installs



T33 Series PTZ Cameras

- 384x288 Thermal + 4MP Bi-spectrum
- 5/7/15/25mm Thermal + 40x Optical Lens
- -20°C to +150°C Measurement Range
- ±8°C Measurement Accuracy
- Human Detection up to 45-170m
- Vehicle Detection up to 50-250m
- Rain-sensing Wiper



T63 Series PTZ Cameras

- 640x512 Thermal + 4MP Bi-spectrum
- 25mm Thermal + 40x Optical Lens
- -20°C to +150°C Measurement Range
- ±8°C Measurement Accuracy
- Human Detection up to 205m
- Vehicle Detection up to 300m
- Rain-sensing Wiper

*Note: specifications subject to change; detection ranges subject to actual installation and operating conditions.*

## Installation Applications



Construction Sites



Critical Infrastructure




Commercial Complex



Solar Farms

# TEMPERATURE & FIRE DETECTION

Accurate temperature detection with advanced thermal imaging



## Product Range

		
<b>T43 Series Bullet Cameras</b>	<b>T53 Series PTZ Cameras</b>	<b>Dual Vision PTZ Series</b>

**T43 Series Bullet Cameras**

- 384x288 Thermal Imaging
- 9/15/25/35/50mm Lens Options
- -20°C to +150°C or 0°C to +550°C Measurement Range
- $\pm 2^\circ\text{C}$  Measurement Accuracy
- Temperature Measurement up to 106-588m
- Fire Detection up to 265-1,471m
- IP66-rated for Outdoor Installs

**T53 Series PTZ Cameras**

- 650x512 Thermal Imaging
- 9/15/25/35/50mm Lens Options
- -20°C to +150°C or 0°C to +550°C Measurement Range
- $\pm 2^\circ\text{C}$  Measurement Accuracy
- Temperature Measurement up to 150-833m
- Fire Detection up to 375-2,083m
- IP66-rated for Outdoor Installs

**Dual Vision PTZ Series**

Please contact our sales team for more information

- 400x300 and 640x512 Thermal Options
- Bi-spectrum with 4MP, 30x Optical Lens
- -20°C to +150°C Measurement Range
- $\pm 2^\circ\text{C}$  Measurement Accuracy

*Note: specifications subject to change; detection ranges based on 1x1m target size and subject to actual installation and operating conditions.*

For small, enclosed spaces such as server cabinets, power boxes or machinery rooms.



CP-BSRD1302-IP-2 Bi-spectrum Radiometric Cube Camera

- 256x192 Thermal Imaging + 1600x1200 Visible Imaging
- -20°C to +150°C or 0°C to +550°C Measurement Range
- $\pm 2^\circ\text{C}$  Measurement Accuracy
- Temperature Measurement up to 3m
- Over Temperature and Temperature Difference Alarms
- IP67-rated for Outdoor Installs with 6kV Surge Protection, 8kV Air/Contact Discharge, 25g Shock Resistance, and 2g Vibration Resistance

## Installation Applications



Construction Sites



Waste Management



Solar Farms



EV Charging Stations

Concept  Pro

**THERMAL CAMERA  
SOLUTIONS**

[www.concept-pro.co.uk](http://www.concept-pro.co.uk)